



# Natural Language Processing in Computational Communication Research

Chenxi Li, Shuguo Lian\*

School of Computer and Software, Jincheng College, Chengdu, Sichuan 611731, Sichuan, China  
1848949727@qq.com

\*Author to whom correspondence should be addressed.

**Abstract:** *The rapid development of information technology has made the paradigm shift in communication studies increasingly evident, leading to a growing reliance on text data mining techniques in disciplinary research. This satisfies the developmental requirements of computational communication studies. This paper explores natural language processing (NLP) techniques, analyzing their role in integrating these technologies into computational communication research. The following conclusion is drawn: In the context of global information globalization, NLP technology is advantageous in addressing disciplinary issues.*

**Keywords:** Natural Language Processing Technology; Computational Communication; Word Frequency Analysis; Semantic Modeling.

**Cited as:** Li, C., & Lian, S. (2024). Natural Language Processing in Computational Communication Research. *Journal of Theory and Practice in Engineering and Technology*, 1(3), 14–19. Retrieved from <https://woodyinternational.com/index.php/jtpet/article/view/72>

## 1. Introduction

Against the backdrop of rapid development of the Internet of Things, China has entered the era of informatization. Natural language, as a technology that ensures computer systems meet human requirements, plays an important role in data processing in the information age. At present, in the research of computational communication, analyzing the value of natural language can not only achieve effective interaction between humans and computers, ensure that machines can work according to human requirements, but also provide support for computational communication research [1-3]. Natural language processing (NLP) technology plays a crucial role in computational communication research [4]. It is committed to achieving effective communication between humans and computers through natural language, and is an interdisciplinary field of computer science, artificial intelligence, and linguistics. The core tasks of NLP include understanding, interpreting, and generating human language, enabling computers to process and analyze large amounts of natural language data. Its technologies such as word vectors, neural networks, and deep learning have greatly improved the performance of tasks such as machine translation, text understanding and information extraction, speech recognition and synthesis [5-9]. NLP not only promotes cross linguistic communication, but also demonstrates extensive application value in information retrieval, question answering systems, sentiment analysis, public opinion monitoring, as well as natural language generation and intelligent dialogue.

## 2. Overview of Natural Language Processing Technology

The emergence of computer technology has changed the current way of human survival. People can not only enjoy the convenience brought by the internet through computers in their daily lives, but also feel the secure and efficient lifestyle provided by the Internet of Things. At present, in order to meet people's needs for intelligent and modern social development, natural language processing technology can be integrated into current research in computational communication to ensure that machines do not require human management during subsequent operations. They can refer to corresponding control strategies and complete machine function operations on their own, thereby improving the real-time performance of intelligent control work and meeting the requirements of human machine interaction work [10-12].

NLP technology is widely used in computational communication research, mainly including speech recognition,



machine translation, sentiment analysis, text generation, and other aspects[13]. Speech recognition: NLP Technology can convert speech into text, enabling computers to understand human language, such as systems like Apple Siri and Amazon Alexa. Machine translation: NLP can achieve automatic translation from one language to another, promoting cross linguistic communication, such as Google Translate. Emotion analysis: NLP can analyze emotions in text, such as positive, negative, or neutral, to monitor consumers' emotions towards brands. Text generation: NLP technology can synthesize natural and smooth text, such as automatically creating press releases, to improve writing efficiency [14-16]. These applications demonstrate the importance and potential of NLP in computational communication research.

## 2.1 Application Overview

Natural language processing technology, as a technical method for achieving language interaction between machines and humans, can complete the conversion of unstructured data such as language and audio, reduce the difficulty of machines understanding human language, and ensure smooth language interaction between machines and humans. In practical applications, natural language processing technology has two major functions: natural language understanding and natural language generation. Among them, natural language understanding can help machines understand human language, while natural language generation can ensure smooth communication between machines and humans. When standardizing unstructured content, machine learning and deep learning can be used to complete word segmentation, stem extraction, word form restoration, part of speech tagging, named entity recognition, and chunk processing of unstructured content. In the research of computational communication that integrates natural language, the processing methods for machine learning natural language mainly include text analysis, text aggregation, correlation analysis, and trend prediction. Among them, text analysis can improve the classification methods of models through supervised learning in the application process. The text clustering method can provide feature vectors and classification books in the application process, and complete the clustering analysis of sample feature vector similarity. The correlation analysis method can identify the relationship between feature vectors and results during the application process. The trend prediction rule can analyze the time series distribution conditions of existing data and complete data prediction work [17].

## 2.2 Fundamentals of Statistical Models

In the current research process of computational propagation, commonly used natural language system models include Bayesian formula conditional probability, N-gram model, HMM model, etc. In specific information analysis work, selecting and using appropriate models based on the type of information and the needs of analysis workload can provide strong support for improving the quality and efficiency of analysis work.

### (1) Bayesian formula conditional probability

In the process of applying Bayesian formula conditional probability judgment to determine which set of words  $W$  belongs to  $A_1$  or  $A_2$ , the probabilities  $P(A_1 / W)$  and  $P(A_2 / W)$  can be calculated first, and the values of the two probabilities can be compared. If the probability value of  $A_1$  is greater than that of  $A_2$ , it means that  $W$  belongs to  $A_1$ , otherwise  $W$  belongs to  $A_2$ .

### (2) N-element model

The N-meta model is a commonly used mathematical model in natural language processing. In the process of applying this model, if the natural language meets the Markov property, the probability of the occurrence of a word  $w$  in a sentence  $r$  can be calculated by the formula  $P(w_i / w_1 w_2 \dots w_{i-1}) = P(w_i / w_{i-n+1} \dots w_{i-1})$ , and a formula for calculating the sentence probability can be derived:

$$p(S) = p(w_1 w_2 \dots w_m) = p(w_1) p(w_2 / w_1) \times \dots \times p(w_i / w_{i-n+1} \dots w_{i-1})$$

In the actual analysis process, the larger the value of  $n$  in the formula, the higher the accuracy of the model. However, considering that the parameters used in the model and the required training set will also increase with the increase of  $n$ , and the training set is not large enough, it will lead to a decrease in the number of occurrences of most molecules or conjunctions in the corpus, or even the absence of this situation, which will inevitably lead to data sparsity. Knowledge shortage affects the performance of the model in subsequent processing work, so when applying n-source models for analysis work, data smoothing is required [18].

(3) HMM model

HMM model is an extremely important mathematical model, which is widely used in natural language processing and speech recognition. In the current research work of computational communication, this model has also been applied to other fields [19].

### **3. The Application Functions of Natural Language Processing Technology**

In the current development process of information technology, the application principle of natural language processing technology is to use preprocessing techniques to standardize unstructured content. The standardized content can be actively and correctly understood and specific functions can be completed. In the current research process of computational communication, natural language processing technology is widely used for functions including word frequency analysis, sentiment analysis, and semantic modeling [20-21].

#### **3.1 Word Frequency Analysis**

Word frequency analysis is one of the most commonly used functions in current computational communication science. In the process of ranking analysis of hot words on websites such as Baidu Index and Tiktok Hot List, word frequency analysis technology can help the above websites use word segmentation technology to preprocess the corresponding data information, and then help the distributed big data system stream processing method to complete the quantitative statistics of word information.

#### **3.2 Emotion Analysis**

Emotion analysis technology is an analysis method that uses algorithms to refer to specific types of emotions to complete text classification processing. Common emotion classifications include positive, negative, happy, sad, and other emotions. In the process of applying sentiment analysis technology, effective analysis of attitudes towards textual information evaluation objects and evaluated subjects, as well as communication topics and emotional tendencies in cyberspace can be achieved through sentiment classification, subjective judgment, opinion summarization, and comment validity analysis. In the current research process of computational communication, sentiment analysis technology is mainly applied in word-of-mouth analysis. In the analysis process, not only can the evaluation of positive or negative information be completed based on the rating level, but also the subjective evaluation sentiment tendency of the evaluators can be analyzed through manual annotation, dictionary matching and other methods, providing reference for the development of product optimization work [22].

#### **3.3 Semantic Modeling**

Considering the extreme complexity of human language, words have different meanings in different contexts. To improve the accuracy of word analysis, semantic modeling can be introduced into computational communication research, using algorithms combined with context to analyze the hidden meanings behind words. In current computational communication, semantic modeling technology is a relatively mature topic analysis technique. For example, semantic modeling techniques can be applied to extract the semantics of forum network users, compare user knowledge frameworks and explain similarities and differences, and complete research on the impact of response information on audiences.

### **4. The Application Value of Natural Language Processing Technology**

#### **4.1 Meet the Demands of Computational Communication Research**

In the current process of social development, the application of natural language processing technology can effectively meet the demands of computational communication research in communication paradigm adjustment, textual research, and other aspects.

(1) Paradigm adjustment in communication studies

From the perspective of paradigm adjustment in communication studies, the deepening of computational communication research has expanded the study of communication phenomena beyond functional research. Instead, it has begun to describe complex and diverse communication phenomena and group characteristics, and extract new research themes and their underlying meanings during the research process. At the same time,

computational communication research can effectively balance the subjective thinking of researchers and the objective requirements of textual research in the application process. With the rapid development of information technology, computational communication research has integrated fragmented, low probability, and large capacity event information into scientific research content, enhancing the depth of communication element research.

## (2) Text research

At present, there is an urgent need for tools related to textual research in the paradigm of computational communication studies. Specifically, due to the fact that image data is generally a collection of RGB pixel files in matrix format, it is necessary to comprehensively apply knowledge from disciplines such as image processing and computer vision in the process of processing image data. This situation greatly increases the difficulty of research on image data. In the face of the above situation, text has become the main object of current news communication research and the main content of data mining and analysis in computational communication studies due to its advantages such as low difficulty in obtaining information in cyberspace, less background knowledge required for data processing, and low computational complexity. In the current research process of computational communication, network data acquisition and analysis is one of the important links in the research work. However, in the context of the information age, research in computational communication is facing enormous challenges due to factors such as the lack of regulation over network data sources and exponential growth in data volume. In order to improve the quality and efficiency of research work as much as possible, building an effective set of computational and text semantic recognition methods in the current research process of computational communication, and using them as analysis tools for semantic texts in cyberspace has become an important measure to enhance the data acquisition ability, processing efficiency, and analysis ability of research work. In this context, natural language processing technology has attracted the attention of researchers, and applying this tool to the current research process of computational communication can effectively meet the needs of researchers for personalized and customized data acquisition, organization, and processing [23].

## 4.2 Create Opportunities for Research in Computational Communication Studies

The continuous development of natural language processing technology has brought new directions for the research of computational communication, and also provided new ideas for solving problems in traditional computational communication research.

Firstly, the rapid development of natural language reading comprehension technology has propelled the study of computational communication texts towards refinement and customization. Specifically, natural language reading comprehension algorithms can enable machines to complete semantic understanding tasks according to context during application. Summarize, generalize, and refine the key points of language, effectively addressing language diversity, ambiguity, robustness, and knowledge dependence. It should be noted that although natural language reading comprehension technology has significantly improved its technical capabilities after the development of knowledge dependent machine reading comprehension technology, there are still certain difficulties in detecting unanswerable questions and partitioning reasonable answers in the actual text analysis process, which reduces the quality level of research in computational communication.

Secondly, in current research on computational communication, researchers often first propose corresponding models and then use statistical and other disciplinary methods to complete information correlation verification. However, due to the fact that textual data often contains a large number of hidden variables that are difficult to detect and have characteristics such as small sample size, dispersion, and high dimensionality, applying the above methods to carry out text correlation verification will inevitably increase the difficulty of model design verification. To solve this problem, unsupervised learning natural language processing techniques can be applied in the analysis process to complete the analysis of text data feature vectors without providing a specific model in advance, timely identify hidden variables contained in text information, and then carry out model design work based on this, in order to make up for the inherent shortcomings of the assumed model.

Again, in the current research process of computational communication, the application of natural language processing technology can further enhance the objectivity of research work. Specifically, in order to shorten the distance between computational communication and objective science, researchers in computational communication want to find more objective ways to study communication objects as their research focus. In recent years, with the continuous optimization and upgrading of natural language processing technology, its application in computational communication research has become an important measure to improve the accuracy and

objectivity of research results. For example, in practical research work, researchers can replace survey questionnaires and interviews with datasets and validation sets under information technology mining. By analyzing massive amounts of data and weakening individual heterogeneity, the reliability and accuracy of data mining work can be improved.

Finally, with the continuous optimization and upgrading of natural language processing technology, research on communication mode analysis and ethical exploration has become increasingly in-depth. Specifically, in practical applications, natural language processing technology not only has language comprehension capabilities but also natural language generation capabilities, which can be applied to the generation of data news. In recent years, with the continuous development of natural language processing technology, this technology not only effectively meets the current demand for actively generating text in the cyberspace, but also provides new topics for the research of computational communication research objects, models, and ethics.

## 5. Conclusion

In summary, computational sociology can effectively analyze complex social systems by collecting and analyzing data related to human behavior in cyberspace, eliminating heterogeneity and noise factors, and enriching people's social cognition while identifying social phenomena in the system. At present, conducting research on the application value of natural language processing in computational communication can provide assistance for the development of computational sociology. The future development of NLP technology in computational communication research will show a trend of diversification and depth. Firstly, with the continuous advancement of deep learning technology, NLP models will have stronger language understanding and generation capabilities, capable of handling more complex language phenomena and contexts. Secondly, multimodal NLP technology will gradually emerge, combining various information such as text, images, and speech to achieve more comprehensive and accurate information understanding, expanding the application scenarios of NLP. In addition, NLP technology will be deeply integrated with other fields such as machine learning and knowledge graphs to solve more complex natural language processing problems. Finally, with the advancement of globalization, multilingual processing will become an important development direction for NLP, constructing models that can understand and process multiple languages, promoting cross linguistic communication and understanding.

## References

- [1] Wu, Z. (2024). An Efficient Recommendation Model Based on Knowledge Graph Attention-Assisted Network (KGATAX). arXiv preprint arXiv:2409.15315.
- [2] Wang, Z., Sun, W., Chu, Z. C., Zhang, Y., & Wu, Z. (2024). LLM for Differentiable Surface Sampling for Masked Modeling on Point Clouds.
- [3] Bethard, S. , Jurafsky, D. , & Martin, J. H. . (2008). Instructor's Solution Manual for Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition (Second Edition).
- [4] Nadkarni, P. M. , Ohno-Machado, L. , & Chapman, W. W. . (2011). Natural language processing: an introduction. *Journal of the American Medical Informatics Association* *Jamia*, 18(5), 544.
- [5] Shen, Z. (2023). Algorithm Optimization and Performance Improvement of Data Visualization Analysis Platform based on Artificial Intelligence. *Frontiers in Computing and Intelligent Systems*, 5(3), 14-17.
- [6] Wang, Zeyu. "CausalBench: A Comprehensive Benchmark for Evaluating Causal Reasoning Capabilities of Large Language Models." *Proceedings of the 10th SIGHAN Workshop on Chinese Language Processing (SIGHAN-10)*. 2024.
- [7] Ji, H., Xu, X., Su, G., Wang, J., & Wang, Y. (2024). Utilizing Machine Learning for Precise Audience Targeting in Data Science and Targeted Advertising. *Academic Journal of Science and Technology*, 9(2), 215-220.
- [8] Teller, & Virginia. (2000). *Speech and language processing: an introduction to natural language processing, computational linguistics, and speech recognition* daniel jurafsky and james h. martin (university of colorado, boulder) upper saddle river, nj: prentice hall (prentice hall ser. *Computational Linguistics*, 26(4), 638-641.
- [9] Jurafsky, D. , & Martin, J. H. . (2007). *Speech and language processing: an introduction to speech recognition, computational linguistics and natural language processing*. Prentice Hall PTR.
- [10] Chen, G., He, C., Hsiang, S., Liu, M., & Li, H. (2023). A mechanism for smart contracts to mediate production bottlenecks under constraints. *31st Annual Conference of the International Group for Lean Construction (IGLC)*, 1232 - 1244. <https://doi.org/10.24928/2023/0176>

- [11] Wyard, P. J. . (1992). *Connectionist natural language processing: an introduction*. Springer Netherlands.
- [12] Zheng, H., Wang, B., Xiao, M., Qin, H., Wu, Z., & Tan, L. (2024). Adaptive Friction in Deep Learning: Enhancing Optimizers with Sigmoid and Tanh Function. arXiv preprint arXiv:2408.11839.
- [13] Wang, Z., Yan, H., Wang, Y., Xu, Z., Wang, Z., & Wu, Z. (2024). Research on autonomous robots navigation based on reinforcement learning. arXiv preprint arXiv:2407.02539.
- [14] Wu, Z. (2024). Deep Learning with Improved Metaheuristic Optimization for Traffic Flow Prediction. *Journal of Computer Science and Technology Studies*, 6(4), 47-53.
- [15] Z. Ren, "Enhancing Seq2Seq Models for Role-Oriented Dialogue Summary Generation Through Adaptive Feature Weighting and Dynamic Statistical Conditioning," 2024 6th International Conference on Communications, Information System and Computer Engineering (CISCE), Guangzhou, China, 2024, pp. 497-501, doi: 10.1109/CISCE62493.2024.10653360.
- [16] Z. Ren, "A Novel Feature Fusion-Based and Complex Contextual Model for Smoking Detection," 2024 6th International Conference on Communications, Information System and Computer Engineering (CISCE), Guangzhou, China, 2024, pp. 1181-1185, doi: 10.1109/CISCE62493.2024.10653351.
- [17] Tennant, & Harry. (1981). *Natural language processing: an introduction to an emerging technology*.
- [18] Yang, H., Zi, Y., Qin, H., Zheng, H., & Hu, Y. (2024). Advancing Emotional Analysis with Large Language Models. *Journal of Computer Science and Software Applications*, 4(3), 8-15.
- [19] Chen, G., Liu, M., Zhang, Y., Wang, Z., Hsiang, S. M., & He, C. (2023). Using Images to Detect, Plan, Analyze, and Coordinate a Smart Contract in Construction. *Journal of Management in Engineering*, 39(2), 1 – 18. <https://doi.org/10.1061/JMENEA.MEENG-5121>
- [20] Lu, Q., Guo, X., Yang, H., Wu, Z., & Mao, C. (2024). Research on Adaptive Algorithm Recommendation System Based on Parallel Data Mining Platform. *Advances in Computer, Signals and Systems*, 8(5), 23-33.
- [21] Xu, Y., Shan, X., Guo, M., Gao, W., & Lin, Y. S. (2024). Design and Application of Experience Management Tools from the Perspective of Customer Perceived Value: A Study on the Electric Vehicle Market. *World Electric Vehicle Journal*, 15(8), 378.
- [22] Lu, Y., & Lu, G. (2021). Superthermal: Matching thermal as visible through thermal feature exploration. *IEEE Robotics and Automation Letters*, 6(2), 2690-2697.
- [23] Guo, Q., Fu, J., Lu, Y., & Gan, D. (2024, March). Diffusion Attack: Leveraging Stable Diffusion for Naturalistic Image Attacking. In 2024 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW) (pp. 975-976). IEEE.

## Author Profile

**Shuguo Lian** (born on September 1979), male, Mongolian, Liaoning, master's degree, senior engineer, research direction: computer applications, communication email: lianshuguo@163.com.

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of Woody International Publish Limited and/or the editor(s). Woody International Publish Limited and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.